



ITEM #	QTY	PART #	PART TITLE
-1	1	RBW6005G00531-8G-1	PIN
-2	1	RBW6005G00531-8G-2	HANDLE




SECTION A-A

RBW6005G00531-8G JACKSCREW (1/4"-28)

9


- NOTES:
- 1) MATERIAL: N/A
 - 2) HEAT TREAT: N/A
 - 3) FINISH: BLACK OXIDE PER MIL-C-13924 CLASS 1 THEN APPLY A THIN LAYER OF OIL / CPC PER MIL-PRF-16173 GRADE 3 CLASS 1 OR MIL-C-81309 TYPE III OR MIL-C-23411A OR MIL-PRF-81309 AND WIPE OFF EXCESS
 - 4) TOLERANCES: X.X = +/- 0.1"
X.XX = +/- 0.01"
X.XXX = +/- 0.005"
X.XXXX = +/- 0.0005"
ANGLES / PARALLELISM / ECCENTRICITY / SYMMETRY ABOUT ALL CENTER LINES = +/-0.005"
 - 5) UNITS: INCHES UNLESS OTHERWISE NOTED
 - 6) BREAK SHARP EDGES: N/A
 - 7) IDENTIFICATION: N/A
 - 8) ASSEMBLE AS SHOWN
 - 9) THE TOOL MUST BE PACKAGED WITH A DESICCANT BAG INTO A TIGHT FITTING SEALED PLASTIC BAG

A	NEW ISSUE	18-561	KPT
REV.	DESCRIPTION	ECN #	BY
DESIGN	KPT	DART AEROSPACE LTD HAWKESBURY, ONTARIO, CANADA	
DRAWN	KPT		
CHECKED	VM	TOOL PART #	REV. A
MFG. APPR.	DP	RBW6005G00531-8G	SHEET 1 OF 3
APPROVED	VM	TITLE	SCALE
DATE 9/6/2018		JACKSCREW (1/4"-28)	NTS
COPYRIGHT © 2018 BY DART AEROSPACE LTD THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE LTD.			



NOTES:
1) MATERIAL: 4140/4142 (28-32 RC)
2) HEAT TREAT: N/A
3) FINISH: N/A
4) TOLERANCES: X.X = +/- 0.1"
X.XX = +/- 0.01"
X.XXX = +/- 0.005"
X.XXXX = +/- 0.0005"
ANGLES / PARALLELISM / ECCENTRICITY / SYMMETRY ABOUT ALL CENTER LINES = +/-0.005"
5) UNITS: INCHES UNLESS OTHERWISE NOTED
6) BREAK SHARP EDGES: 0.005" TO 0.010"
7) IDENTIFICATION: N/A
8) CENTER DRILL IS ACCEPTABLE

DESIGN	KPT	DART AEROSPACE LTD HAWKESBURY, ONTARIO, CANADA	
DRAWN	KPT		
CHECKED	VM	TOOL PART #	REV. A
MFG. APPR.	DP	RBW6005G00531-8G	SHEET 2 OF 3
APPROVED	W	TITLE	SCALE
DATE 9/6/2018		JACKSCREW (1/4"-28)	NTS
		COPYRIGHT © 2018 BY DART AEROSPACE LTD THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE LTD.	



NOTES:
1) MATERIAL: 4140/4142 (28-32 RC)
2) HEAT TREAT: N/A
3) FINISH: N/A
4) TOLERANCES: X.X = +/- 0.1"
X.XX = +/- 0.01"
X.XXX = +/- 0.005"
X.XXXX = +/- 0.0005"
ANGLES / PARALLELISM / ECCENTRICITY / SYMMETRY ABOUT ALL CENTER LINES = +/-0.005"
5) UNITS: INCHES UNLESS OTHERWISE NOTED
6) BREAK SHARP EDGES: 0.005" TO 0.010"
7) IDENTIFICATION: MACHINE ENGRAVE AS SHOWN OR DOT MARK T/N AS SHOWN
8) CENTER DRILL IS ACCEPTABLE

DESIGN	KPT	DART AEROSPACE LTD HAWKESBURY, ONTARIO, CANADA	
DRAWN	KPT		
CHECKED	VM	TOOL PART #	REV. A
MFG. APPR.	DP	RBW6005G00531-8G	SHEET 3 OF 3
APPROVED	WY	TITLE	SCALE
DATE 9/6/2018		JACKSCREW (1/4"-28)	NTS
		COPYRIGHT © 2018 BY DART AEROSPACE LTD THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE LTD.	